

Start Guide

QEC-R11HU9S : EtherCAT Gateway
RS232/485 + Keypad + LCM + MPG



86Duino Coding IDE 501

EtherCAT Library

(Version 2.0)

Revision


Date	Version	Description
2024/2/2	Version1.0	New release.
2024/10/8	Version1.1	Split the development steps into two documents.
2025/10/30	Version2.0	Combine all functions of HU9S in one document.

Preface

In this guide, we will show you how to use the EtherCAT MDevice **QEC-M-01** and the **QEC-R11HU9S** series (EtherCAT SubDevice, with RS232/485, Keypad, LCM, and MPG Hand wheel).


Notes QEC's PoE (Power over Ethernet)

In QEC product installations, users can easily distinguish between PoE and non-PoE: if the RJ45 house is red, it is PoE type, and if the RJ45 house is black, it is non-PoE type.



PoE (Power over Ethernet) is a function that delivers power over the network. QEC can be equipped with an optional PoE function to reduce cabling. In practice, PoE is selected based on system equipment, so please pay attention to the following points while evaluating and testing:

- 1. The PoE function of QEC is different and incompatible with EtherCAT P, and the PoE function of QEC is based on PoE Type B, and the pin functions are as follows:



- 2. When connecting PoE and non-PoE devices, make sure to disconnect Ethernet cables at pins 4, 5, 7, and 8 (e.g., when a PoE-supported QEC EtherCAT MDevice connects with a third-party EtherCAT SubDevice).
- 3. QEC's PoE power supply is up to 24V/3A.

1. Connection and wiring hardware

The following devices are used here:


1. QEC-M-01 (EtherCAT MDevice)
2. QEC-R11HU9S series (EtherCAT SubDevice, with RS232/485, Keypad, LCM, and MPG Hand wheel)
3. 24VDC power supply & EU-type terminal cable & LAN cable



1.1 QEC-M-01

QEC EtherCAT MDevice.


1. Power Supply: Connect to Vs+/Vs- and Vp+/Vp- power supplies via EU terminals for 24V power.
2. EtherCAT Connection: Using the EtherCAT Out port (On the top side) connected to the EtherCAT In port of EtherCAT SubDevice via RJ45 cable.



1.2 QEC-R11HU9S

The **QEC-R11HU9S** is an EtherCAT SubDevice module with RS232/485, Keypad, LCM, and MPG Hand wheel.

The diagram shows a typical wiring example with a QEC MDevice and an EtherCAT network.




Connections are grouped by function:

- EtherCAT: MDevice → IN; OUT for daisy-chain
- Power & Grounding:
 - VS+/VS-: system power +24 V/GND
 - VP+/VP-: field I/O power +24 V/GND
- Serial COM: DB9; DIP switch selects RS-232/RS-485
For RS-485, use termination/bias and a shared reference
 - Data transfer rate (bps): 2400,4800,9600,14400,19200,38400,57600,115200
 - Data width (bit): 5/6/7/8
 - Hardware Flow Control: CTS/RTS
- Handwheel MPG
 - Control Axes: Quadrature A/B Phase with axes selection
 - Input: Jog and federate override
- Keypad: Matrix 4x4
- LCM: 2 lines, 16 characters per line
- Indicators: PWR, RUN, LINK, ERROR, TX/RX/MPG/KEYPAD/LCM status

2. Software/Development Environment

Download 86duino IDE from <https://www.qec.tw/software/>.



86duino Coding IDE 501

The new major release of the 86duino IDE 501 is faster and more powerful than ever! It now supports a broader range of third-party EtherCAT sub-devices and introduces additional EthercatDevice classes, including a generic CiA 402 EtherCAT slave class designed to control any EtherCAT servo drive compliant with the CiA 402 standard.

Windows (ZIP file)

Date: 2024.12.06

Download

After downloading, please unzip the downloaded zip file, no additional software installation is required, just double-click 86duino.exe to start the IDE.



***Note:** If Windows displays a warning, click Details once and then click the Continue Run button once.



86duino Coding IDE 501+ looks like below.





3. Connect to PC and set up the environment

Follow the steps below to set up the environment:

1. Connect the QEC-M-01 to your PC via a Micro USB to USB cable (86Duino IDE installed).
2. Turn on the QEC power.
3. Open **"Device Manager"** (select in the menu after pressing Win+X) -> **"Ports (COM & LPT)"** in your PC and expand the ports; you should see that the **"Prolific PL2303GC USB Serial COM Port (COMx)"** is detected; if not, you will need to install the required drivers.
(For Windows PL2303 driver, you can download [here](#))



4. Open the 86Duino IDE.
5. Select the correct board: In the IDE's menu, select **"Tools" > "Board" > "QEC-M01"** (or the QEC MDevice model you use).
6. Select Port: In the IDE's menu, select **"Tools" > "Port"** and select the USB port to connect to the QEC MDevice (in this case, COM9 (QEC)).



4. Write code

The EtherCAT MDevice (QEC-M-01) and the QEC-R11HU9S series (EtherCAT SubDevice, with RS232/485, Keypad, LCM, and MPG Hand wheel) can be configured and programmed via the EtherCAT library in the 86Duino IDE. The Arduino development environment has two main parts: `setup()` and `loop()`, which correspond to initialization and main programs. Before operating the EtherCAT network, you must configure it once. The process should be from Pre-OP to OP mode in EtherCAT devices.

The following program sets:


- EtherCAT Cycle Time: 1 millisecond.
- EtherCAT Mode: ECAT_SYNC.

The `EthercatMaster` object ("master") represents the QEC-M-01, while the `EthercatDevice_QECR11HU9S` object ("slave0") represents the QEC-R11HU9S module.

We will present the Serial COM Port (RS232/RS485), Keypad and LCM, and MPG hand wheel usage in the following section by steps.

4.1 Serial COM Port (RS232/485)

In this section, we will read the data from the Serial Monitor in the 86Duino IDE and transfer it from COM1 (RS-232) to COM2 (RS-232). After COM2 receives the data, we print it on the Serial Monitor.



Wiring

- Use the front DB9 connector (see diagram for pinout).
- Connect COM1 to COM2; you can connect to the external device's TX ↔ RX, RX ↔ TX, and GND ↔ GND.
- Keep cable length reasonable; share a common reference (GND) with the device.

A. In Setup Function:

In the `setup()` function, initialize communication, enter OP, and configure COM1 and COM2.

Follow the steps below:

1. Initialize Serial Communication
 - Start serial communication at a baud rate of 115200.
2. Start the EtherCAT MDevice
 - Use the `begin()` function to begin the EtherCAT MDevice and set the EtherCAT state machine to the PRE-OPERATIONAL state.
3. Attach the QEC-R11HU9S EtherCAT SubDevice
 - Use the `attach()` function to attach the EtherCAT SubDevice to the EtherCAT Network. Set the node number and the specific MDevice.
4. Start the EtherCAT MDevice
 - Use the `start(1000000, ECAT_SYNC)` function to switch the EtherCAT state machine to the OPERATIONAL state. Set the cycle time to 1ms and ECAT_SYNC mode.
5. Configure the COM Port (RS-232)
 - Use the `uartSetBaud(COM, 115200)` function to setup COM port to baud rate 115200.
 - Use the `uartSetFormat(COM, SERIAL_8N1)` function to set COM port to SERIAL_8N1 format.

B. In Loop Function:

In the `loop()` function, keep EtherCAT/UART services pumping; forward any USB-Serial byte from the Serial Monitor to **COM1**, and non-blocking read back from **COM2**.

1. Logic

- Call `update()` every cycle to service EtherCAT mailbox/UART queues.
- If the Serial Monitor has a byte (`Serial.available()`), read it and send to COM1 via `uartWrite(COM1, byte)`.
- Poll COM2 non-blockingly: if `uartQueryRxQueue(COM2) > 0`, fetch bytes with `uartRead(COM2)` and return them to the Serial monitor using `Serial.print()`.

2. Code Logic Summary

- Use `Serial.available()` to check PC-side RX FIFO; use `Serial.read()` to get incoming bytes.
- Use `slave0.uartWrite(COM1, b)` to transmit to the RS-232 on COM1; use `slave0.uartRead(COM2)` to read COM2.
- Use `Serial.print()` to echo COM2 data back to the PC to preserve binary data.
- Keep all remote serial I/O inside `loop()` and call `slave0.update()` frequently to maintain EtherCAT mailbox service and UART queue progress.

The example code is as follows:

```
#include "Ethercat.h"

EthercatMaster master;
EthercatDevice_QECR11HU9S slave0;

int incomingByte = 0;
char read_ch;

void setup() {
  Serial.begin(115200);

  master.begin();
  slave0.attach(0, master);
  master.start(1000000, ECAT_SYNC);

  slave0.uartSetBaud(COM1, 115200);
  slave0.uartSetFormat(COM1, SERIAL_8N1);
  slave0.uartSetBaud(COM2, 115200);
  slave0.uartSetFormat(COM2, SERIAL_8N1);
}

void loop() {
```

```


if (Serial.available() > 0) {
  incomingByte = Serial.read();
  slave0.uartWrite(COM1, incomingByte);

  while (slave0.uartQueryRxQueue(COM2) < 1)
    slave0.update();


  if ((read_ch = (char)slave0.uartRead(COM2)) > 0) {
    Serial.print("COM2 receive: ");
    Serial.println(read_ch);
  }
}
}

```

***Note:** Once the code is written, click on the toolbar to  compile, and to confirm that the compilation is complete and error-free, you can click  to upload.




After uploading, you can input a number or letter to the Serial Monitor in 86Duino IDE. All data will transfer from COM1 to COM2. After COM2 receives the data, we print it on the Serial Monitor, as in the image below.



4.2 Keypad + LCM

In this section, we read keypad input and print it at specific positions on the LCM. The buzzer beeps whenever a key is pressed.



- # clears the LCM and sets the print row to **Row 1**.
- * clears the LCM and sets the print row to **Row 2**.
- Keys 0–9 print at columns **1–10**; keys A–D print at columns **11–14** of the current row.

A. In Setup Function:

In the `setup()` function, initialize EtherCAT communication, keypad, and LCM. Follow the steps below:

1. Initialize Serial Communication
 - Start serial communication at a baud rate of 115200.
2. Start the EtherCAT MDevice
 - Use the `begin()` function to begin the EtherCAT MDevice and set the EtherCAT state machine to the PRE-OPERATIONAL state.
3. Attach the QEC-R11HU9S EtherCAT SubDevice
 - Use the `attach()` function to attach the EtherCAT SubDevice to the EtherCAT Network. Set the node number and the specific MDevice.
4. Start the EtherCAT MDevice
 - Use the `start(1000000, ECAT_SYNC)` function to switch the EtherCAT state machine to the OPERATIONAL state. Set the cycle time to 1ms and ECAT_SYNC mode.
5. Initialize the Keypad and LCM
 - Use the `keypadClear()` function to initialize the keypad.
 - Use the `lcmClear()` function to initialize the lcm.

B. In Loop Function:

In the `loop()` function, read the keypad non-blockingly and print to the LCM.

1. Logic

- Read key: `key = slave0.keypadRead()`; valid keys are {'0'..'9', 'A'..'D', '#', '*'}. Any other value = no key → skip.
- Digits '0'..'9': row = `lcmY`, col = `key - '0' + 1` ('0'→1 ... '9'→10) → `lcmGotoXY(col, lcmY)` → `lcmWrite(key)`.
- Letters 'A'..'D': row = `lcmY`, col = `key - 'A' + 11` (11..14) → `lcmGotoXY(col, lcmY)` → `lcmWrite(key)`.
- '#': set `lcmY = 1` and `lcmClear()`;
- '*': set `lcmY = 2` and `lcmClear()`.
- Buzzer: trigger `buzzer(3000, 200)` only when the key is valid.
- Service: call `slave0.update()` every loop to maintain EtherCAT/mailbox.

2. Code Logic Summary

- Use `slave0.keypadRead()` to fetch a key.
- Use `lcmGotoXY(x, y)` then `lcmWrite(ch)` to print at a specific column/row (1-based).
- Keep all I/O inside `loop()` and call `slave0.update()` frequently to maintain EtherCAT timing.

The example code is as follows:

```
#include "Ethercat.h"

EthercatMaster master;
EthercatDevice_QECR11HU9S slave0;

int lcmY = 1;

void setup() {
  master.begin();
  slave0.attach(0, master);
  master.start(1000000, ECAT_SYNC);

  slave0.keypadClear();
  slave0.lcmClear();
}

void loop() {
  char keyPadInput = slave0.keypadRead();
```

```

if (keyPadInput >= '0' && keyPadInput <= '9') {
  slave0.lcmGotoXY(keyPadInput - '0' + 1, lcmY);
  slave0.lcmWrite(keyPadInput);
} else if (keyPadInput >= 'A' && keyPadInput <= 'D') {
  slave0.lcmGotoXY(keyPadInput - 'A' + 11, lcmY);
  slave0.lcmWrite(keyPadInput);
} else if (keyPadInput == '#') {
  lcmY = 1;
  slave0.lcmClear();
} else if (keyPadInput == '*') {
  lcmY = 2;
  slave0.lcmClear();
}


if (keyPadInput != 0) slave0.buzzer(3000, 200);

slave0.update();
}

```

***Note:** Once the code is written, click on the toolbar to  compile, and to confirm that the compilation is complete and error-free, you can click  to upload.

File Edit Sketch Tools Help




After uploading, you can press the keypad on the QEC-R11HU9S-N's side and printing on the specific positions of LCM according to it. Buzzer will buzz when the keypad is pressed; among them, '#' is a clear LCM display and sets the print position to the first row, and '*' is a clear LCM display and sets the print position to the second row.



4.3 MPG Hand wheel

In this section, we will read the MPG data and status for QEC-R11HU9S and print EMG, Enable, Axis, Ratio, Raw, and Logical data through the Serial Monitor of the 86Duino IDE.



No.	Pin Assignment	No.	Pin Assignment
1	VCC	9	AXIS_B0
2	A	10	AXIS_B1
3	A-	11	AXIS_B2
4	B	12	MULTIPLE_B0
5	B-	13	MULTIPLE_B1
6	C	14	EMERGENCY
7	C-	15	LED
8	GND	-	-

A. In Setup Function:

In the `setup()` function, initialize EtherCAT communication, keypad, and LCM. Follow the steps below:

1. Initialize Serial Communication
 - Start serial communication at a baud rate of 115200.
2. Start the EtherCAT MDevice
 - Use the `begin()` function to begin the EtherCAT MDevice and set the EtherCAT state machine to the PRE-OPERATIONAL state.
3. Attach the QEC-R11HU9S EtherCAT SubDevice
 - Use the `attach()` function to attach the EtherCAT SubDevice to the EtherCAT Network. Set the node number and the specific MDevice.
4. Start the EtherCAT MDevice
 - Use the `start(1000000, ECAT_SYNC)` function to switch the EtherCAT state machine to the OPERATIONAL state. Set the cycle time to 1ms and ECAT_SYNC mode.

B. In Loop Function:

In the `loop()` function, we will continuously poll MPG signals and print them; keep EtherCAT services pumping.

1. Logic

- Call `update()` every cycle to service EtherCAT mailbox/queues.
- Read MPG signals from the SubDevice:
 - `mpgReadEmergencyStop()` → emergency stop status (EMG).
 - `mpgReadEnableSwitch()` → enable/hold switch status.
 - `mpgReadAxis()` → currently selected axis (e.g., 0/1/2...).
 - `mpgReadRatio()` → handwheel ratio (e.g., ×1/×10/×100).
 - `mpgReadEncoderRaw()` → raw encoder counts.
 - `mpgReadEncoder()` → logical/processed encoder value.
- Using `Serial.print()` to print the values to the Serial Monitor for live diagnostics.

2. Code Logic Summary

- Use `Serial.print/println()` to format a single diagnostic line per cycle.
- Use MPG accessors (`mpgRead*()`) to fetch each field individually.
- Call `slave0.update()` each iteration so the MPG/encoder values stay fresh and mailbox traffic progresses.

The example code is as follows:

```
#include "Ethercat.h"

EthercatMaster master;
EthercatDevice_QECR11HU9S slave0;

void setup() {
  Serial.begin(115200);

  master.begin();
  slave0.attach(0, master);
  master.start(1000000, ECAT_SYNC);
}

void loop() {
  // Read various parameters from the slave and print them
  Serial.print("EMG: ");
  Serial.print(slave0.mpgReadEmergencyStop()); // Read and print the
emergency stop status
  Serial.print(", Enable: ");
  Serial.print(slave0.mpgReadEnableSwitch()); // Read and print the enable
switch status
  Serial.print(", Axis: ");
```


```

Serial.print(slave0.mpgReadAxis()); // Read and print the axis information
Serial.print(", Ratio: ");
Serial.print(slave0.mpgReadRatio()); // Read and print the ratio
Serial.print(", Raw: ");
Serial.print(slave0.mpgReadEncoderRaw()); // Read and print the raw encoder
value
Serial.print(", Logical: ");
Serial.println(slave0.mpgReadEncoder()); // Read and print the logical
encoder value


slave0.update();
}

```

***Note:** Once the code is written, click on the toolbar to  compile, and to confirm that the compilation is complete and error-free, you can click  to upload.



After the upload is completed, you can read the data and status of the MPG of QEC-R11HU9S, and view EMG, Enable, Axis, Ratio, Raw, Logical and other data through the Serial Monitor of 86Duino IDE.



Troubleshooting

QEC-M-01 cannot successfully upload code

When you are unable to successfully upload code, please open 86EVA to check if your QEC EtherCAT MDevice's environment is abnormal. As shown in the figure below, please try updating your QEC EtherCAT MDevice's environment, which will include the following three items: Bootloader, EtherCAT firmware, and EtherCAT tool.



Now, we will further explain how to proceed with the update:

Step 1: Setting up QEC-M


1. Download and install 86Duino IDE 500+ (or a newer version).
You can download it from [Software](#).
2. Connect the QEC-M: Use a USB cable to connect the QEC-M to your computer.
3. Open 86Duino IDE: After the installation is complete, open the 86Duino IDE software.
4. Select Board: From the IDE menu, choose **"Tools"** > **"Board"** > **"QEC-M-01"** (or the specific model of QEC-M you are using).
5. Select Port: From the IDE menu, choose **"Tools"** > **"Port"** and select the USB port to which the QEC-M is connected.

Step 2: Click “Burn Bootloader” button


After connecting to your QEC-M product, go to “**Tools**”> “**Burn Bootloader**”.

The currently selected QEC-M name will appear. Clicking on it will start the update process, which will take approximately 5-20 minutes.

- QEC-M-01:



Step 3: Complete the Update



After completing the above steps, your QEC-M has been successfully updated to the latest version of the development environment.

Warranty

This product is warranted to be in good working order for a period of one year from the date of purchase. Should this product fail to be in good working order at any time during this period, we will, at our option, replace or repair it at no additional charge except as set forth in the following terms. This warranty does not apply to products damaged by misuse, modifications, accident or disaster. Vendor assumes no liability for any damages, lost profits, lost savings or any other incidental or consequential damage resulting from the use, misuse of, originality to use this product. Vendor will not be liable for any claim made by any other related party. Return authorization must be obtained from the vendor before returned merchandise will be accepted. Authorization can be obtained by calling or faxing the vendor and requesting a Return Merchandise Authorization (RMA) number. Returned goods should always be accompanied by a clear problem description.

All Trademarks appearing in this manuscript are registered trademark of their respective owners. All Specifications are subject to change without notice.

©ICOP Technology Inc. 2025